

T1S - R1W. 2nd Mer.

	8	8	9	9	10	11	11					
14	6	17	5	34	4	33	3	33	2	31	1	3
17	17	34	33-34	33	30	31	28-31					
14	7	8	34	9	32	10	30	11	31	12	2	
17	35	35	26-32	29-30	29-30	28-30						
14	18	35	17	25	16	26	15	29	14	28	13	2
18	36	36	24	26	23-27	27	27-28					
15	19	36	20	25	21	24	22	23	23	21	24	1
18	37	37	24-25	23	21-27	20-27						
15	30	38	29	25	28	22	27	22	26	21	25	1
	38	38	18-24	19-22	19-22	20-21						
15	31	39	32	18	33	19	34	19	35	20	36	1
4-5	4-5	4-5	4-6	3-6	3-6	3-6						

T2S - R1W. 2nd Mer.

61	62	63	65	67	67						
6	61	5	62	4	63	3	65	2	67	1	45
60	61-62	62-63	63-65	65-66	65-66	67					
7	60	8	61	9	62	10	64	11	66	12	44
60	54-60	54-68	64	64-65	66						
18	59	17	54	16	53	15	64	14	52	13	44
59	54-58	53-54	51-53	51-53	52						
19	58	20	53	21	50	22	51	23	52	24	43
58	55-58	49	49	50	47						
30	57	29	49	28	48	27	50	26	46	25	43
57	55-57	48	47	45	46						
31	55	32	48	33	47	34	45	35	46	36	43
41	41	41	41	42	42	42					

1

X Township No 1 South Range No 1 West 2nd Mer.

East Boundary

North On East boundary of Section 36 T1S R1W

20.00 Spruce 20 in² diam.

28.30 Beech 16 in² diameter

36.80 W. Oak 18 in² diameter

40.00 Quarter Sec. Cor. A Beech 16 in² diam. S 7 E
28 lks. A Poplar 40 in² diam. N 83 E. 16 lks.

44.20 Beech 12 in² diam.

76.00 Brook 8 lks. wide, Course N. W.

76.54 Beech 12 in² diameter.

80.00 Corner Sec 25 & 36 T1S R1W. A W. Oak
18 in² diam. N 26 W. 5 link Beech 12 in² dia
S 18 E 28 lks. dist. This mile Beech timbered
ridges; Soil middling; Spruce & Dogwoods.

North On East boundary of Sec 25 T1S R1W

17.30 W. Oak 18 in² diam.

32.00 Brook 8 links wide, Course W.

40.00 Quarter Sec. Cor. A Sugar 13 in² diam. N 19 W
20 lks. dist. Sugar 7 in² diam. S 36 W. 17 lks.
dist.

43.20 Hickory 18 in² diam.

60.56 W. Oak 20 in² diam.

73.70 Beech 12 in² diam. Brook 6 lks. wide Course W.

80.00 Corner of Sec. 24 and 25. T1S R1W.
A W. Oak. S 45 E. 26 lks. dist. A W. Oak
18 in² diam. S 67 W. 53 lks. dist. This mile
1st part Beech timbered Hill. Soil good, last
part more oak; Soil thin - Dogwoods.

North On East boundary of Sec 24 T1S R. 1W.

5.25 Sugar tree 14 in² diameter

16.80 Beech 16 in² diam.

37.60 Beech 16 " "

40.00 Quarter Sec Corner A Beech 10 N 11 E 35 lks.
dist. A Beech 16 in² dia. S 2 E 48 lks. dist.

Township No 1 South of Range No 1 West 90

47.03	A. W. Oak 20 in ^d diameter
66.42	A Buck 14 in ^d diam?
80.00	Put corner sec 13 & 24 T. 1 S. R. 1 West A Buck 12 in ^d diam? S. 7 E 20 lks dist Buck 8 N 50 W 8 lks This mile Buck timber ridge land; Some Poplar & Sugar tree; Spice shrub Buck.
North	On East Boundary of Sec. 13 T. 1 S. R. 1 W.
13.90	Sugar 14 in ^d diam?
19.05	Buck 24 in ^d diam?
29.50	Brook 4 lks wide; Course East; good water
31.15	W. Oak 18 in ^d diam?
40.00	Sugar tree Sec. corner. A Buck 16 in ^d diameter S 19 W 18 lks dist A Buck 12 in ^d diam? N 4 W 45 lks dist
49.35	Buck 20 in ^d diam?
80.00	Intersects 20. lks. W and 15 South of Temporary post Put corner sec 12 & 13 T. 1 S. R. 1 W. A W. Oak 12 in ^d diam? N 72 W 13 lks dist W. Oak 10 in ^d diam? N 70 E 9 lks dist This mile Buck, Poplar and some Oak and Sugar tree timber ridge; Soil middling; Spice & Buck brush.
North	On East Boundary of Sec. 12 T. 1 S. R. 1 W.
1.00	Patoka Creek 100 lks wide, course S. W.
4.25	Buck 12 in ^d diam?
40.00	Put quarter Sec. post A Sugar tree 12 in ^d dia. S 65 W 6 lks dist; A Buck 18 in ^d diam? North. 44 lks dist.
45.18	Sugar tree 14 in ^d diam?
48.25	Spring run, Course West
55.68	Buck 22 in ^d diam?
68.75	Creek 60 lks wide, Course S. W. fine water.
80.00	In same creek, course S. E. put post corner sec 1 & 12 T. 1 S. R. 1 West Poplar 22 in ^d diam?

Township N. 1 South of Range N. 1 West 2nd Mer.

N 32 W. 44 lks dist; a Sugar tree 10 in^d diam?
S 25 W. 19 lks dist. This mile Back & some Sugar
tree timbered ridges. Soil good some stony - some
Spruce & Buck brush.

North	On East side of Sec. 1 T 1 R 1 W
13.62	Sugar tree 16 in ^d diameter.
20.10	Buck 16 in ^d diam. Run. 4 lks. wide Course S.E.
40.00	Quarter Sec. post. A Gum 14 in ^d diam. N 68 E. 8 links dist. Buck 12 in ^d diam. S 27 W. 27 links dist.
41.00	Poplar 40. in ^d diam.
58.60	Buck 16 in ^d diam.
68.62	Ash 40 in ^d diam.
78.50	Brook 8 links wide Course S.W.
80.00	Put temporary post; This mile rich Buck, Sugar, Poplar and Ash timbered lands. Spruce undergrowth.

South boundary of Township N. 1 South Range
N. 1 West 2nd Mer.

West	On Random line between Twp. 1 & 2 South N. 1 West
40.00	1 st Mile. Temporary 1/4 Sec. post.
40.50	Brook 14 lks wide; Course S 30 E.
80.00	Put temporary Sec. post; This mile, good soil Timber Buck, some Poplar and Sugar; some Spruce & Dogwoods.

West	2 nd Mile on Random line.
.10	Brook 4 lks wide; Course S 60 W.
20.12	Same Brook forks; Course S.W. from North.
40.00	Temporary 1/4 Sec. post
80.00	Put temporary Sec. post. This mile ridges; mid- dling soil; Timber Buck, Poplar, Sugar, Gum, Ash; Spruce & Dogwoods undergrowth.

West 3rd Mile on Random line.

Township No 1 South of Range No 1 West 2nd Mer

38.50	Brook 10 lks side, course S 20 W
42.50	Brook 6 lks side, course S.E.
80.00	Set temporary sec post; This mile ridge land, good soil; Timber Buck, Poplar, some Oak & Sugar tree; some Spice and Dogwood.
West	4 th Mile on Random line
23.00	Brook 4 lks side, course S 30 W
40.00	Temporary quarter sec. post
59.50	Brook 10 lks side, course N.W.
80.00	Put temporary post; This mile ridge land, muddling soil; Timber Buck, Sugar tree, poplar, Ash, Gum &c; Spice, Pawpaw, & Dogwood under growth.
West	5 th Mile on Random line
7.70	Brook 4 links side, course N.W.
40.00	Put temporary quarter sec. post
53.00	Fine Spring, course N.W.
56.30	Fine Spring 10 lks side, course North.
80.00	Put temporary post; This mile hilly land thin and stony soil; timber Buck, Oak, Hickory and Dogwood & Spice undergrowth.
West	6 th Mile on Random line.
6.80	Brook 6 lks side course N.W.
76.50	Brook 10 lks side, course N.W.
79.50	Intersects West boundary of this range 11 ch 82 links North of post. From the town corner set by Benton; Run East on true line, the intersecting variation to go at the corner by offset; run East on a variation of 45' from the random line (the whole var. 126' so as to bring in the town corner a little south of the post. To connect from one corner to the other will make the line so far East & West that I think not best to cor-

Township No 1 South of Range No 1 West 2nd Mer.

not entirely by the Random line; but to take some from the East town day.

South Boundary

- East On true line South boundary of Sec 31. N 1/2 R 1 W
 18.15 1 Buck 12 in. diam.
 23.02 1 Brook 10 lbs side, Course N.W.
 34.58 1 W. Oak 16 in. diam.
 39.50 The length of the West half mile on the Random
 line; put quarter Sec cot. A Sugar 16 in. diam. N 3/4
 W 7 lbs dish and a 1 Buck 14 in. diam. S 20 W
 42 lbs dish.
 .55 1 Buck 10 in. diam.
 .80 Spring course S.
 24.18 Sugar 16 in. diam.
 30.18 Poplar 36 in. diam.
 35.60 1 Brook 10 lbs side, Course N.W.
 38.00 Drain, Course N.W.
 44.00 Put corner feet 31 & 32. N 1/2 R 1 W. 2nd Mer
 Took no bearing until I run South; This mile
 1 Buck timber full; middleing soil, Spruce & maple.

- East On South boundary Sec. 32. N 1/2 R 1 W
 10.56 1 Buck 16 in. diam.
 18.65 Sugar 16 in. diam.
 28.00 1 Brook 12 lbs side Course N.W.
 40.00 Quarter Sec post. A W. Oak 20 in. diam. N 44 E
 37 lbs dish. A W. Oak 12 in. diam. S 84 W 24
 lbs dish
 46.60 W Oak 14 in. diam.
 72.00 1 Brook 6 lbs side Course N.
 72.20 1 Buck 24 in. diam.
 80.00 Put corner to Sec 32 & 33 N 1/2 R 1 West
 A W Oak 26 in. diam. S 33 E 12 lbs dish and a
 Buck 15 in. diam. N 35 W 10 lbs dish. This mile
 1 Buck timber ridge soil. middleing; Norway and

Township No 1 South of Range No 1 West 2nd M.

Some Spices.

East	On true line South boundary Sec 33 T1 S R1 W
14.00	Poplar 24 in. diam.
22.00	Drain Course W.
33.00	Drain, Course N.W.
44.00	Quarter Sec post, a 1 Buck 12 S 33 7 7 lks dist. A Sugar 14 N 46 E 18 links dist.
44.60	1 Buck 12 inches diam.
55.50	1 Buck 16 inches diam.
80.00	Put post corner to Sec. 33 & 34 T1 S R1 W A 1 Buck 12 N 20 E 26. A W Oak 22 S 32 W 28 links dist; This mile ridge land middling soil; timber mostly 1 Buck some oak, sugar, & poplar Spice and dogwood undergrowth Soil stony, Limestone. August 19 th 1805

East	On true line S Boundary Sec 34 T1 S R1 W
13.60	W. Oak 24 in. diam.
20.30	W. Oak 28 in. diam.
40.00	Quarter Sec cor. A 1 Buck 12 in. diam. S 85 E 16 lks dist; 1 Buck 16. N 36 W 20 lks dist
44.52	Sycamore 40 in. diam.
45.60	1 Buck 15 lks mid course S 30 E.
72.90	1 Buck 16 in. diam.
80.00	Corner Sec. 34 & 35 T1 S R1 W. A 1 Buck 10 in. diam. N 88 W 21 lks dist; 1 Buck 12 in. dia. N 64 E 47 lks This mile 1 Buck timbered, ridge some poplar & Sugar tree; Spice & Dogwood.

East	On true line S. Boundary of Sec. 35 T1 S R1 W
29.20	1 Buck 16 in. diam.
38.40	Sugar tree 16 in. diam.
40.00	Quarter Sec Corner A 1 Buck 12 in. diam. S 11 W 13 lks dist; A 1 Buck 22 in. diam. N 65 W 40 links dist

7

Township N^o 1 South Range N^o 1 West 2nd Mer

44.80 Spring course South
 49.70 Buck 20 in. diam.
 63.00 Brook 10 links course S 30 E
 69.60 W Oak 26 in. diam.
 80.00 Corner Sec 35. 36 T^h South R^{ang} 1 W 2nd Mer
 At Poplar 30 in. diam. N 63 E. 67 lks dist.
 In windfall no more trees; very bushy; last 30
 ch. on any trees; hills pretty good soil. timber
 as before.

East True line South Boundary of Sec 36 T^h 9 R^{ang} 1 W
 32.70 W Ash 24 in. diam.
 38.14 Buck 16 in. diam.
 40.00 Quarter Sec. Corner 4 Buck 14 in. diam. N 83 E 27
 lks dist and a Buck 8 in. diam. N 11 W 30 lks dist.
 45.50 Brook 8 lks wide, course S. E.
 72.20 Hickory 24 in. diam.
 80.00 Intersects East boundary of this range 553 South
 of the Town Corner; just Lat just corner of Towns
 1 & 2 E. R. 9 West and 1 & 2 South Range 1 E.
 At Buck 24 in. diam. N 45 W 11 lks dist. A Sugar
 20. S 19 E. 46 lks. This mile, pretty good soil.
 Timber Buck, Sugar, Poplar &c Spruce, Logwood
 & Pawpaw. undergrowth.

West Boundary

T. N. 1 S. R. N. 1 W. 2nd Mer. (Ind. 2)

Base Line.	
X East	On the Base line from the cor. of sec. 1. 6. 31. 36. T. S. N. 1. S. R. N. 1 W. on the South Boundary of sec. 31 T. N. 1. S. R. N. 1 W. Bearings at this cor. are Buck 13 in dia. bears N 35 W. 16 links dist; to Do 20 " " " S 30 E. 38 " " To a Gum 18 in. dia. Stands in the line 19.05 " " Poplar 18 " " " " " 28.90 " " W. Ash 30 " " " " " 40.00 Set a post for the cor. to 1/4 sec. from which a Buck 10 in. dia bears N 62 W. 20 links dist; to Gum 9 " " " S 35 E. 40 " " 56.40 To a Ridge. — the only; Course N. Deep Gulch 67.40 " " Sugar 18 in. dia Stands in the line. 69.15 " " Birch 8 links wide; Course N. 77.40 " " Poplar 26 in. dia. Stands in the line. 80.00 Set a post for the cor. to Sec 31. & 32. T. N. 1. S. R. N. 1 W. from which a Poplar 30 in dia bears N 32 W. 7 links dist; to Buck 15 " " " S 42 E. 28 " " This strip hilly land first part good soil; last part thin soil; Timber Oak.

East	On the Base line on the South Boundary of sec 32 T. N. 1. S. R. N. 1 W.
18.10	To a Mulberry 14 in. dia Stands in the line.
32.30	" " Birch 6 links wide; Course N 20 E.
40.00	Set a post for the cor. to 1/4 sec. from which an Ash 18 in dia bears N 84 W. 16 links dist; to Buck 12 " " " S 50 E. 11 " "
50.40	Intersect the East Boundary of the Vincennes tract and set a post for the cor to sec 32. T. N. 1. S. R. N. 1 W. from which an Elm 16 in. dia. bears N 75 E. 45 links dist; to Gum 12 " of " N 76 W. 58 " "

D. N^o 1. S. R. N^o 1 W. 2nd Mer. (Ind^c) 9

Ridge lands pretty good soil; Timber Oak,
Yucca, Poplar, Ash, and Elm.

Surveyed by
E. Buckingham. U.S.

East On Town line between Towns N^o 1 S. R. N^o 1 W
and S. N^o 1 S. R. N^o 1 W. Begun at the $\frac{1}{4}$
sec. post on the South Boundary of sec. 32. S. N^o 1, N.
N^o 1 W. 2nd Mer.

10.30 To the Old East Boundary of the Vincennes tract
12.86 in a Gum 24 in. dia. Stands in the line.

44.00 Into center the line between Sec. 4 & 5 S. N^o 1 S. R.
N^o 1 W. from which a W. Oak 12 in. dia. bears
S 36 E. 25 links dist; to Yucca 10 " " "
N 74 W 13 " " This distance good Oak
Yucca Land;

East On the South Boundary of sec. 33. S. N^o 1 S. R. N^o 1 W
4.76 To the first set for the cor. to Sec. 4 & 5 S. N^o 1 S. R. N^o 1 W.
38.21 in a W Oak 12 in. dia. Stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Yucca 16 in dia. bears N 69 W. 22 links dist; to
Op 16 " " " S 61 E. 24 " "

44.76 Set a post for the cor. to $\frac{1}{4}$ sec. S. N^o 1 S. R. N^o 1 W. North
Boundary of sec. N^o 4. from which a
Gum 15 in. dia. bears N 46 W. 12 links dist; to
Sugar 16 " " " S 34 W. 11 " "

45.60 On a Hickory 16 in dia. Stands in the line.

49.55 To a Brook 6 links side; course N.

64.28 To a W. Oak 20 in dia Stands in the line.

80.00 Set a post for the cor. to sec. 33. & 34. S. N^o 1 S. R. N^o 1
W. from which a Yucca 24 in dia. bears N 53 E. 34
links dist; to Sugar 8 " " " N 58 W 20
" " " Timber Oak, Sugar, Yucca, Elm & Spruce
& Dogwood ridges; Soil good.

T. N. 1 S. R. N. 1 W. 2nd Mer. (Ind. 9)

East	On the South Boundary of sec. 34. T. N. 1. R. N. 1 W. 2 nd Mer. Ind. 9
4.76	Intersects the N. 13 line 250 miles South of the post (temp.) set for the cor. to sec. 34. T. N. 1 S. R. N. 1 W. From which a Buck 18 in dia bears S 48 E. 35 miles dist; to Do 12 n n n S 51 W. 38 n n n
8.00	To a Brook 8 miles wide; Course South.
8.70	n n Poplar 18 in dia. Stands in the line.
10.35	n n Buck 12 n n n n n n n
35.40	n n n 16 n n n n n n n
40.00	Set a post for the cor. to 1/4 sec. From which a W. Oak 22 in dia bears N 19 E. 35 miles dist; to Buck 8 n n n S 82 W. 13 n n n
44.70	To the cor. for the 1/4 sec. T. N. 1 S. R. N. 1 W. From which a Buck 8 in dia bears S 82 E. 35 miles dist; to Do 12 n n n S 53 W. 14 n n n
61.50	To a Brook 50 miles wide; Course S 30 W. 15 ex. bottom.
72.40	To a Sugar 12 in dia. Stands in the line
79.50	n n W Oak 18 n n n n n n n
80.00	To a post set for the cor. to sec. 34 & 35 T. N. 1 S. R. N. 1 W. From which a Buck 15 in dia bears N 35 W. 13 miles dist; to Do 12 n n n N 69 E. 15 n n n This mile hilly; Timber Buck, Oak, Poplar, Sugar to. August. 29 th

East	On the South Boundary of sec. 35. T. N. 1. R. N. 1 W. 2 nd Mer. Ind. 9
4.50	Intersects the N. 13 line 194 miles South of the temp. post set for the cor. to sec. 2 & 3. T. N. 1 S. R. N. 1 W. From which a Sugar 14 in dia. bears S 36 E. 26 miles dist; to Buck 22 n n n S 34 W. 26 n n n
14.50	To a Buck 12 in dia. Stands in the line.

T. N. 1 N. R. N. 1 W. 2nd Mer. (Ind.)¹¹

17.38	To a Beech 20 in. dia. stands in the line.
21.00	" " " " 4 miles wide; course N.
36.62	" " Sugar 14 in. dia. stands in the line.
40.00	Set a post for the cor. to 1/4 sec. from which a Elm 16 in. dia. bears N 26 E. 18 links dist; to Poplar 10 " " " N 48 W. 30 " "
43.00	Set a post for the cor. to 1/4 sec. at the aver. measure for sec. 2. T. N. 1 S. R. N. 1 W. from which a Beech 8 in. dia. bears S 68 W. 14 links dist; to do 14 " " " S 52 E. " "
57.02	To a Sugar 14 in. dia. stands in the line.
62.25	" " " " 4 links wide; course North.
68.20	" " " " 18 in. dia. stands in the line.
80.00	Set a post for the cor. to sec. 35. 136. T. N. 1 N. R. N. 1 W. from which a Beech 15 in. dia. stands N 43 W. 37 links dist; to do 14 " " " N 83 E. 44 " "
	This mile Beech, Oak, timbered lands; soil stony
East	On the South Boundary of sec. 36. T. N. 1 N. R. N. 1 W.
1.74	Introduce the N. 13 line. 145 links South of the temp. post set for the cor. to sec. 102. T. N. 1 S. R. N. 1 W. from which a W. Oak 30 in. dia. bears S 87 E. 38 links dist; and a Beech 14 " " " N 60 W. 8 "
15.35	To a Sugar 16 in. dia. stands in the line.
28.55	" " " " 34 " " " " " "
45.00	Set a post for the cor. to 1/4 sec. from which a Beech 16 in. dia. bears N 72 E. 46 links dist; to Sugar 16 " " " N 54 W. 21 " "
41.00	To the average measure for the cor. to 1/4 sec. for sec. 1 T. N. 1 S. R. N. 1 W. from which a Beech 16 in. dia. bears S 39 E. 6 links dist; to W. Oak 18 " " " N 5 W. 23 " "
52.16	To a Poplar 30 in. dia. stands in the line.
68.75	" " " " 16 " " " " " "
80.60	Introduce the East Boundary of this Range 30 links

13

T. N. 1 S. R. N. 17. 2nd Mer. (Ind.)

40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 14 in. dia. bears S 50 E. 12 links dist; to
 Ironwode 7 n n n S 69 W. 4 n n
 80.00 To the post cor. to sec. 1. 6. 7. & 12.
 Same and timber same as above.

East Return Sec. 7. & 18. T. N. 1 S. R. N. 17.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 13 in. dia. bears N 86 W. 22 links dist; to
 No. 11 n n n S 86 E. 12 n n
 76.00 To the post cor. of sec. 7. & 18 from which a
 Buck 30 in. dia. bears N 68 W. 26 links dist; to
 No. 7 n n n S 20 E. 11 n n
 Same soil and timber same as on the last mile.

East Return Sec. 18. & 19. T. N. 1 S. R. N. 17.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck - in dia. bears S 2 E. 5 links dist; to
 No. 14 n n n N 19 E. 32 n n
 45.50 To Patoka Creek 105 links wide; Course N.
 50.50 To a post cor. of sec. 18. & 19. fell in Patoka Cr. 150
 links wide; Course South.
 Same soil and timber same as on the last mile.

East Return Sec. 19. & 30 T. N. 1 S. R. N. 17.
 23.00 To a Post cor. of sec. N. 19. & 30 from which a
 Buck 24 in. dia. bears N 74 W. 6 links dist; and a
 Buck 7 n n n S 19 E. 20 n n
 Large hilly; Timber Buck, to N. 12nd rate;
 Surveyed by Tupper, & Stone Dec. 10. 1804.

Tuesday Aug. 20th

North Return Sec. 32. & 33. T. N. 1 S. R. N. 17.
 18.20 To a Buck 14 in. dia. stands in timber.
 25.00 in N. 17. 24 n n n n n

T. N. S. H. N. 1st 2nd Mr. (End.)

West Boundary

South Between Towns 1st Range 14th 2nd Sec. 146

11.30 a Poplar 15 in. diam.

40.00 Set a post of Sec. Cor. from which

a Dogwood 7 in. diam. bears N 63 E 13 lks. dist. of

a W. Oak 8 " " " N 74 W 21 " "

49.00 a Beech 12 in. diam.

80.00 Set a post Cor. to Sec. 1412, 1st S. 16th 2nd from which

a W. Oak 8 in. diam. bears N 26 E 17 lks. dist. of

a Span. Oak 20 " " " S 26 W 53 " "

Shilly dry & Oak principally 2nd rate

South On Range line between Sec. 7 & 12

11.00 a run 15 lks. wide Cr. S. 110 W

22.00 a Beech 12 in. diam.

27.00 a run 10 lks. wide, Cr. W

40.00 Set the of Sec. post, from which

a Sugar 7 in. diam. bears N 46 W 10 lks. dist. of

a Do 7 " " " S 46 E 10 " "

63.18 a Hickory 18 in. diam.

80.00 Set a post Cor. to Sec. 12 & 13, 1st S. 16th 2nd from which

a Poplar 36 in. diam. bears N 37 W 12 lks. dist. of

a Beech 7 " " " S 23 W 32 " "

Sand and timber same as above

South On Range line between Sec. 13 & 18

5.60 a Hickory 18 in. diam.

40.00 Set the of Sec. post, from which

a Beech 13 in. diam. bears North 36 lks. dist. of

a Do 30 " " " N 77 W 40 " "

52.59 a Gum 12 in. diam.

80.00 Set a post Cor. to Sec. 13 & 24, 1st S. 16th 2nd from which

a Beech 10 in. diam. bears S 45 W 7 lks. dist. of

a Do 11 " " " N 50 W 28 " "

Shilly Greenbrier, on the tops, Hick, Oak Dogwood & 2nd rate.

T.S. R.M. D.^r Mer. Indiana

South On Range line between Sec. 19 & 24
 30.62 a Beech 18 in. diam.
 40.00 At the q. Sec. post, from which
 a Beech 6 in. diam. bears N 31 W 20 lks. dist. &
 a Do 40 " " " N 55 E 30 " "
 80.00 Set a post Cor. to Sec. 24 & 25, T.S. R.M. from which
 a Beech 20 in. diam. bears S 35 W 36 lks. dist. &
 a Do 24 " " " N 28 E 26 " "
 Land and timber same as above.

South On Range line between Sec. 25 & 30
 37.00 Patoka 150 lks. wide Course S 88 W
 40.00 a Soft Maple 8 in. diam. Corner to q. Section
 66.00 Intersected the boundary of the Vincennes tract
 At a post Cor. of Sec. 25 & 30, from which
 a Beech 8 in. diam. bears N 23 W 6 lks. dist. &
 a Do 8 " " " N 6 E 45 " "
 Hilly Beech & Oak &c. Land D.^r rate
 Continued by Dep'ty. Sur.
 65.63 Intersected Indian boundary
 66.00 a run 3 lks. wide, C.S. N.E.
 80.00 Set a post Cor. to Sec. 25 & 36, T.S. R.M. from which
 a Beech 8 in. diam. bears N 61 W 28 lks. dist. &
 a Do 6 " " " N 66 W 16 " "
 This mile hilly upland, Sugar tree, Beech, Ash & Poplar
 Soil good

South On Range line between Sec. 31 & 36
 19.88 a Poplar 16 in. diam.
 31.25 a run 4 lks. wide Course South
 40.00 At the q. Sec. post, from which
 a Beech 9 in. diam. bears S 46 E 5 lks. dist. &
 a Do 25 " " " N 55 W 41 " "
 43.00 a Stone quarry
 56.47 a Sugar tree 18 in. diam.
 67.00 a run 10 lks. wide C.S. West

S. S. 19th 2nd Mer. Indiana

80.00 Set a post Corner to Township 14th South, of
 Range 14th W. 2nd Mer. from which
 a Beech 10 mi. dist. from N 50 E 25th dist. of
 a No 21 " " " 180th 29 " "
 This mile hilly land, timber Sugar tree, Beech,
 Oak, Ash & Poplar, Soil good.

17

Township No 1 South of Range No 1 West of 2nd Mer.

Subdivisions

South Between Sec^s 5 & 6.

40. 00 Set post a birch 7 inches diameter bearing N 70. W 19. links. A B. Oak 10 inches in diameter bearing S. 30. E. 26 links

75. 00 A W. Oak 16 inches in diameter.

20. 00 Set Post corner to 5, 6, 7 and 8. A W. Oak 30 inches in diameter bearing South 20 E 30. links. A Butternut 8 in^s diameter bearing N. 20. W. 6. links. Hilby 3^d rate Oak &c.

South Between Sec^s 8 & 7.

35. 50 A White Oak 28 inches diameter

40. 00 Set Post a Sapafra 8 in^s diameter bearing S. 2 W. 6 lks
A White Ash 13 inches diameter bearing N. 14. W. 10 lks

45. 00 A. B. Oak 4 feet diameter

66. 50 Set Post on Tree^s line corner to Sec^s 7 & 8. A Birch 14 inches diameter bearing S. 18. W. 13 links. A Sapafra 8 inches diameter bearing N. 5. E. 30. lks. Land & timber as above.

East From Post corner to Sec^s 5, 6, 7 and 8.

25. 00 To Post corner to Sec^s 5 & 8. A Birch 20 inches diameter S. 42. E 13. lks. and a Dogwood 7 inches diameter bearing N 49. W 11. links
Land, Soil, & Timber, same as above.

West. Between Sec^s 6 & 7.

40. 00 Set Post a B. Oak 14 inches diameter bearing S. 5. E. 12. links. An Ironwood 7 inches diameter bearing S. 69. W. 4. links.

80. 00 To Post corner to Sec^s 6, 1, 12. and 7.

Land and Timber as above.

East. Between Sec^s 7 and 18.

40. 00 Set a quarter Section Post a W. Oak 13 inches diameter bearing N. 86. W. 22. links. A Do. 11 inches diameter bearing S. 86. E. 12. links.

76. 00 To Post corner to Sec^s 7 & 18. A Birch 36 inches diam^r bearing N. 88 W. 26 links. & a Do 7 in^s bearing S 20. E.

T. N. 1. G. R. A. N. W. 2nd Mer.

	11 links. Land and Timber same as above.
East	Between Sec. 18. & 19.
40. 00	Set a quarter Sec. Post Beech S. 2. E. 5. Beech 14 in. N 19. E. 32 links. dist.
45. 50.	Patoke Cr. 105 wide. course N.
50. 50	To Post corner of Sec. 18. & 19. Fell in Patoke 150 wide course South. Land and Timber same as above.
East	Between Sec. 19. & 30.
23. 00.	To Post corner to Sec. 19 & 30. Gum 24 inches diameter bearing N. 74 W 6 links. A Beech 7. S 19. E 20. links. Land hilly. Beech &c - 1 st & 2 ^d rate - Sur. by Shupps & Stone. Dec. 10. 1904.
	Tuesday Aug. 20 th
North	Between Sec. 32. & 33. T. 1. S. R. 1 W.
18. 20	Beech 14 inches diameter.
25. 00	W Ash 24 inches diameter
40. 00	Put quarter Sec. post @ Sugar 12 N 14. W 18 lb. A Beech 4. S. 6 5. E. 8 links. dist.
50. 25	Spring course E.
57. 64	Beech 12 inches diameter
72. 30	Beech 18 inches diameter.
80. 00	Corners Sections 28. 29. 32. 33. T. 1. R. 1. S. A Cherry 12. N. 54. W. 34. links. A Sugar 14. S. 5 E. 42. links. This mile ridge land timber mostly Beech, some Oak, Sugar, & Poplars. Spice, Dogwood, & Paw-paw, undergrowth. Land middling, but Strong.
East	Random line between Sec. 28 & 33. T. 1. S. R. 1 W.
22. 00	Brook 12. links wide, course N.
63. 50	Brook 6. links wide, course N.
80. 00	Put temporary post. This mile ridge land timber. Beech, some Poplars, & Sugar, and Oak. Spice, Dogwood, Beech, and Paw-paw, underbrush. Land Strong.

North	Between Section 33 & 34, T. 1. S. R. 1. W.
41. 25	W. Oak 22 inches diameter
46. 00	Quarter Section post. a Sugar 12, N. 7. W. 14. links. dist. A Marsh. & S. 34. E. 23. links dist.
44. 60	Beech 20 inches diameter
54. 30	Poplar 24. inches diameter
57. 70	Drain; course N. W.
64. 70	White Ash, 24 inches diameter
80. 00	Intersects 10. links N. & 35. E. of temporary post. put corner Sec. 27, 28. 33, and 34, a Beech 24. S. & W. 35. lbs. A Beech 10. N. 25. W. 17. links - This mile Beech timber ridges, and good Soil.
East	Random line between Sec. 27 & 34 T. 1. S. R. 1. W.
14. 50	Brook 6 links wide, course N. W.
40. 00	Temporary Quarter Sec. post
80. 00	Temporary Sec. post. This mile Beech, Poplar, and Sugar tree timber - ridges. soil; good; - Dogwood & underbrush
North	Between Sec. 34 & 35. T. 1. S. R. 1. W.
9. 60	Beech 18 inches diameter
26. 00	Poplar 18 inches diameter
40. 00	Quarter Section post. A Beech 12 S 65 E 13 links dist. A Poplar 20. S. 85. W. 16. links. dist.
43. 80	W. Ash. 24 inches diameter
80. 00	Intersects random line & links S. and 10 E. of temporary post. put corner Sections 26 27. & 34. 35. T. 1. S. R. 1. W. A Poplar 36 inches diameter N & E. 30. links. Beech 12 S. 19. W. 31 links. This mile Beech Oak, Sugar, Poplar and Ash, timbered ridges. Spice, & Dogwood, underbrush.
East	Random line between Sections 26 & 25. T. 1. S. R. 1. W.
13. 70	Spring, fine water, course S.
35. 70	Brook 14. links wide, course N.
46. 00	Temporary Quarter Section Post.
62. 80	Brook 10. links wide, course N.

T. N. 1. S. R. N. 1. W. 2nd Mer.

80. 00	Temporary post ridge flange This mile Back. Poplar & Sugar-tree timber ridges Soil good. dogwood, underbrush.
North	Between Sec. 35 & 36. T. 1. S. R. 1. W.
5. 20	Brook 4 links wide; course S. 70. West.
86. 70	Sugar 16 inches diameter
25. 55	Hickory 24 inches diameter
40. 00	Quarter Sec. A. Beech 12 N 89 E 17 links dist. Beech 7. S. 22. W. 7 links. dist.
48. 00	Brook 8 links wide; course N. W.
49. 60	Sugar 20 inches diameter
72. 10	Spring run; course W.
80. 00	Intersects 30 links E of temporary post. Put post corner to 25, 26. 35. 36. T. 1. S. R. 1. W. A Beech 16 N 37. W 34 links. Beech 16 S. 44 E 20 links. This mile Beech, Oak, and Poplar, timbered ridges. Aug 20. Spice, and Dogwood, brush
West	Random between Section 24 & 25 T. 1. S. R. 1 W.
12. 00	Brook 18 links wide; Course N. W.
39. 20	Brook 40 links wide. Course N. W.
40. 00	Temporary quarter Sec. post
46. 00	Spring run, course S. E
66. 20	Brook 6 links wide, Course S. E.
80. 00	Temporary Section corner. - This mile first quarter thin soil; mostly Oak - remainder Beech timber good soil - Spice, & Dogwood, undergrowth
West	On Random line between Sec. 25 & 36 T. 1. S. R. 1 W.
1. 10	Brook 4 links wide C. N.
21. 15	Brook 8 links wide Course N.
40. 00	Put Temporary quarter Sec. post
80. 40	Intersects 25 links S. of Sec. corner. This mile, Beech and Poplar, timbered ridges. Spice, & Dogwood, brush.

East	True line between Sec ^s 25. & 26. T. 1. S. R. 1 W.	
40. 20	Quarter Sec. corner a Birch 14 inches diameter S. 71 W	12
	22 links. Birch 24. S 71. E. 22. links.	
80. 40	Sec. Corners.	
North	Between Sec ^s 25 & 26 T. 1. S. R. 1 W.	
8. 70	Poplar 30 inches diameter	
15. 60	Birch 12 inches diameter	
24. 50	Brook 6 links wide. Course N. W.	
31. 92	Birch 14 inches diameter	
40. 00	Quarter Sec. corner a Birch 24. S. 71 W Birch 16. N. 60 W. 38 links. dist.	
40. 50	Brook 10. links wide. Course N. E.	
43. 50	Brook 20 links wide Course N. E.	
63. 80	Sugar 16 inches diameter	
67. 80	Poplar 24 inches diameter	
80. 00	Intersects E. W. Random 120 links W. of post. & 10 N. put corner sections 23. 24. 25. 26. T. 1. S. R. 1 W. a Poplar 26. N 66. W 19 links Birch 12 N 71 E 16 links - This mile ridge land. Timber Birch, Poplar. Sugar. & some Oak - Spruce, Birch, and Dogwood. - Soil good.	
North	Between Sec ^s 23 & 24 T. 1. S. R. 1 W.	
14. 50	Hickory 20 inches diameter.	
32. 50	Birch 14 inches diameter	
40. 00	Quarter Sec. post a Gum 16 inches S 45. E 33. links a Birch 18 N 26 W 60 links	
50. 00	Brook 4 links wide. Course E.	
65. 55	Gum 14 inches diameter	
80. 00	corner Sec ^s 14 15. 23. 24. T. 1. S. R. 1 W. a Birch 15 N 67 E 30 links. a Birch 12. S. 83 W. 33. links dist. This mile Birch, Oak, & Poplar, timber & ridges. good soil.	
West	Random line between Sec ^s 23. 26. T. 1 S. R. 1 W.	
46. 00	Brook 4 links wide Course N. 20. W - Put Temporary Sec. post. This mile near a dividing ridge. rich soil	

T. N. S. R. N. 1. W 2nd Mer.

	on first half - last not as good. - Timber, Beech, Poplar, Ash, Gum, & Sugar tree, - Spruce & Beech undergrowth
West	True line between Secs 26 & 35. T. N. S. R. N. 1. W.
40. 05	Quarter Sec corner, a Beech 12 N, 34 E 13 links a Beech 12, S 47. W 29, links.
80. 30	To Sec. corner.
West	On true line between Secs 27 & 34 T. N. S. R. N. 1. W.
40. 05	Out quarter Sec. corner on true line. a Beech 15 N. 40. W 5. links. Beech 14. S. 33. W. 56 links.
80. 10	Section corner?
North	Between Secs 27 & 26. T. N. S. R. N. 1. W.
14. 60	Beech 18 inches diameter
24. 30	Brook 8 links wide. Course E.
33. 70	Beech 12 inches diameter
35. 70	Brook 4. Course E.
40. 00	Quarter Sec. Post: a Beech 9. S 35 W 28 links B. Oak 24 N 75. E 23 links
64. 50	Poplar 28 inches diameter
80. 00	Intersects 150 W. of Temporary post & 4. N. put corner Sec. 22. 23. 26. 27. T. N. S. R. N. 1. W. a Poplar 18. S. 87. W. 40 links. a Poplar 36, in diam. bears N. 68. E. 10. links. This mile, Beech, & Poplar, timbered ridges - Soil good; Spruce some Sugar &c.
North	Between Secs 27. & 28. T. N. S. R. N. 1. W.
13. 00	Sugar 14 inches. 14 inches diameter
24. 40	Beech 14 inches diameter
29. 30	Brook 8 links wide. Course West.
40. 00	Quarter Sec. post a Beech 18. S. 7. W 50. links. Cherry 7. N 50. E. 23. links.
61. 00	Spring in base. Course S. E.
66. 60	Beech 12 inches diameter
73. 80	Beech 18 inches diameter.

80. 00	Corner Sec ^s 21. 22. 27. 28. T. 1. S. R. 1 W. - Birch 12. N. 14 W. 14 links. A Sugar 16. S. 32. E. 50 links. This mile Birch timbered hills. Mieling Soil. Some Spice Undergrowth.
East	Random line between Sec ^s 22. & 27. T. 1. S. R. 1. W.
32. 20	Brook 8 links wide. Course N.
40. 00	Temporary quarter Section post
59. 50	Brook 6 links wide. Course N.
81. 00	Intersects N. & S. line at post. This mile Birch, Poplar, and some Sugar tree, and Oak, timbered hills, Spice & Dogwood undergrowth. Aug 21 st 1805.
North	Between Sec ^s 22. & 25 T. 1. S. R. 1. W.
6. 75	Birch 12. inches diameter
24. 00	Birch 12. inches diameter
40. 00	Quarter Sec. post a Birch, 19. S. 39. W. 32. links Birch 16. N. 23 E. 49. links. dist.
43. 70	Brook 4 links wide Course N. E.
63. 20	Poplar 40 inches diameter
73. 30	Brook 4 links wide. Course N. E.
80. 00	Corner to Sec ^s 14, 15. 22. 25, T. 1. S. R. 1. W. A Birch 18. S. 4. W. 52. links. Birch 20. N. 27. E. 27. links. This mile Birch, and Poplar, timbered ridges - good soil.
West	On Random line between Sec ^s 15 & 22. T. 1. S. R. 1. W.
15. 50	Spring run 6 links wide. Course N. W.
77. 40	Brook 6 links wide Course S.
80. 00	Put Temporary post. This mile Birch, Poplar & Sugar tree, some Oak timbered land. Spice, Birch, & Dogwood, Undergrowth. Aug 22 nd 1805.
West	On true line between Sec ^s 22 & 27. T. 1. S. R. 1. W.
40. 50	Put Quarter Sec. post a W. Oak 36 S. 55. E. 10 links. an Elm 12. inches N. 81. W. 12 links.
81. 00	Post Sec. corners.

T. No 1. G. R. No 1, 2nd Mer.

North	Between Sec ^s 21 & 22. T. 1. R. 1 W.
12. 12	Birch 12 inches diameter
37. 62	Birch 12 inches diameter
40. 00	Quarter Sec. & White Oak 12. N. 20 E. 18. links. Birch 6. S. 34. E. 4. links.
43. 20	Sum 24 inches diameter
52. 00	Birch 15 links wide, course N. W.
54. 50	Birch 8 links wide, course W.
61. 10	Birch 14 inches diameter.
65. 30	Birch 6 links wide, course S. W.
81. 10	Intersects 150 th W. Temporary post & 10 th S. put corner 15. 10. 21. 22. T. 1. S. 6 Birch. 12. N. 7. W. 28 links. Birch 22. S. 84. W. 30 links. This mile Birch timbered hills. Some Sugar & Poplar. — Birch & some Dogwood undergrowth. Soil good; and strong.
West	Random line between Sec ^s 16. & 21 T. 1. S. R. 1. W.
38. 50	Creek 100 links wide; course W. from N. E.
40. 00	Out on creek.
51. 50	Leaves the creek goes N. W.
80. 00	Temporary posts. This mile hilly broken & stony. Timber — Birch, some Oak, Sugar, & Poplar. Birch brush.
West	Random line between 21. & 28. T. 1. S. R. 1. W.
46. 00	Along a Birch timbered ridge. put Temporary Quarter Section Posts.
80. 00	Put Temporary Section Corner. This mile near the top of a ridge leading E. & W. Timber, mostly Birch. Some Sugar-tree, & Poplar. Spice Brush.
West	True line between Sec. 28. & 33. T. 1. S. R. 1. W.
40. 17	Put true Quarter Sec. corner & W. Oak 10. S. 58. W. 19, links. Sugar 14. N. 41. E. 16 links. dist.
80. 35	Sec. corner.

T. N. 1. S. R. N. 1. W. 2nd Mer.

North	Between Sec. 28. & 29. T. 1. S. R. 1. W.
50	Beech 12 inches diameter
22	Beech 12 inches diameter.
40	Quarter Sec. a Beech 12. S. 42. E. 19 links. Beech 12. N. 54. W. 18. links.
46	Beech 14 inches diam ^r .
53	Brook 20 links wide; course. N. 60 W.
56	Beech 14 inches diam ^r .
80	Intersects 4. links W. and 15. N. of Temporary Post. Put Corner Sec. 20. 21. 28. 29. T. 1. S. R. 1. W. A Beech 10. S. 41. E. 12 links. Beech 12. N. 4 W. 27. links. This mile Beech timbered ridges. good Soil.
East	True line between Sec. 21 & 28. T. 1. S. R. 1. W.
40	Put true Quarter Sec. corner a Sugar tree. 14. N. 71 W. 3. links. B. Oak 22 N. 70. E. 37. links.
80	To Sec. Corner. Good Beech timbered hills.
North	Between Sec. 20. & 21. T. 1. S. R. 1. W.
30	W Oak 14 inches diam ^r
35	Brook 4 links wide; course W.
40	Put Quarter Sec. Corner. a Beech 12. S. 56 E. 13 lks. Beech 12. N. 62. E. 23. links.
42	Poplar 26 inches diam ^r
46	Potoka Creek; course S. W. 60 links wide
50	Same Creek. course S. E.
54	Brook 10 links wide; course S. W.
62	Beech 28 inches diam ^r
80	Intersects 120. W. of Temporary post. put Post corner Sec. 16. 17. 20. 21. T. 1. S. R. 1. W. a Beech 18 S. 26. W. 48 links. Beech 7. North 61. W. 20 links This mile, Beech timbered hills. Some Sugar tree, Poplar, & Oak, Spruce, & Beech, brush. Soil pretty good. but strong
North	Between Sec. 16. & 17. T. 1. S. R. 1. W.
12	Beech 16. inches diam ^r

T. N. G. R. N. 1. W. 2nd Mer.

40. 00	Quarter Sec. corner. A Birch 18. S. 4 E. 47. links Birch 18. N. 30. E. 15. links
43. 00	Brook & links wide. Course. N. W.
48. 00	Patoka Creek. 100. links wide Course W.
53. 00	Brook 4 links wide Course S. W.
61. 00	Birch 18 inches diam ^r
72. 00	Birch 40. links wide Course W.
80. 00	Post Corner Sec ^s 8. 9. 16. 17. T. 1. S. R. 1. W. Maple 18 S. 25 E. 33. links. Poplar 30. N. 12. links. This mile first half, beech timbered, ridges. last half. Beech lumbered bottom.
East.	Random line between Sec ^s 9. & 16. T. 1. S. R. 1. W.
7. 20	Creek 40. links wide Course S. W.
63. 00	Brook 5 links wide Course S.
80. 00	Put Temporary post. This mile over Stony points of hills. leading S. Birch timber, some Poplar. Birch, and some Spruce Undergrowth.
West	True line between Sec ^s 16. & 21. T. 1. S. R. 1. W.
40. 00	Quarter Sec. post in Patoka Creek.
81. 20	Sec. post - This mile, Beech, timbered hills.
North	Between Sec ^s 15. & 16. T. 1. S. R. 1. W. of Mer.
22. 00	W. Oak 14 inches diam ^r
26. 00	Poplar 24 inches diam ^r
40. 00	Quarter Sec. Post A Birch 20 inchs diam ^r bears S. 29 W. 18 links. Birch 14. S. 68. E. 23. links. dist ^r
53. 00	Patoka 100 links wide; Course W. dead water.
63. 90	Birch 20 in ^s diam ^r
80. 00	Intersects 20 links N. & 46. E. of Temporary post. Put Corner Sec ^s 9 & 16. 15. & 16. T. 1. S. R. 1. W. A Birch 10. S. 70. E. 16. links. A Birch 12. N. 41. W. 44. links. This mile to the Creek, Beech timbered ridge, then 15 chains beech bottom, then point of a hill Stony & poor.

West On true line between 15. & 22 T. 1. S. R. 1. W.
 40. 75 Put Quarter Sec. post on true line. A Birch 16. S. 55. W.
 16 links. Birch 12. N. 66. E. 36. links.
 81. 90 To Sec. corner. Birch timbered land. Aug. 24th. 1805.

East On Random line between 14. & 23. T. 1. S. R. 1. W.
 1. 00 Brook 8 links wide. Course N. W.
 36. 00 Brook 14. links wide. Course N. W.
 40. 00 Put Temporary Quarter Sec. Post
 80. 30 Intersects at post. This mile Birch. Poplar & Sugar tree
 timbered ridges. - good Soil.

West On true line between Sec^s 14. & 23. T. 1. S. R. 1. W.
 40. 15 Put Quarter Sec. post on true line a Birch 12. N. 73.
 E. 10. lks. Poplar 36. S. 23, W. 16. links.
 80. 30 To Sec. corner.

East On true line between 23. & 26. T. 1. S. R. 1. W.
 40. 75 Put Quarter Sec. Corner on true line a Birch 24. S. 49.
 N. 17. links. a Sugar 7. N. 20. E. 24. links
 81. 50 Intersects post Sec. corner.

East True line between Sec^s 24. & 25. T. 1. S. R. 1. W.
 40. 60 Put quarter Sec post on true line. A Birch 16. N. 75.
 W. 15. links A Birch 18. S. 24. E. 48 links.
 81. 20 Sec. corner.

West Random line between Sec^s 13. & 24. T. 1. S. R. 1. W.
 36. 00 Brook 30 links wide; Course N. fine water
 Bottom 6 chains wide.
 40. 00 Temporary Quarter Sec. post.
 80. 40 Intersects 10 links S. of Sec. corner. This mile Birch
 Oak. Poplar. Sugar tree. and some W. Ash. Spice
 Plantain. and Dogwood underbrush. Soil good
 some Stony.

T. N^o 1. S. R. N^o 1. W. 2nd Mer.

North	Between Secs. 13. & 14. T. 1. S. R. 1. W.
4. 50	Poplar 40 inches diam ^r
27. 08.	Birch 16. inches diam ^r
35. 38	Birch 16. inches diameters.
40. 00	Put Quarter Sec. post a Birch 15. S. 51. E. 23. links Birch 7. N 31. W. 30. links.
44. 64.	Birch 20 inches diam ^r
46. 80	Birch 40 links wide. Course N. 10. W. rocky
73. 62	Birch 18 inches diam ^r
76. 00	Patoka 100 links wide Course W. dead water.
80. 00	Post Corner Secs. 11. 12. 13. 14. T. 1. S. R. 1. W. A Birch 18 c. 11. W. 22. links Sugar 12. S. 15. E. 14. links. This mile birch timbered & ridges. Some Sugar, Poplar; Spruce & Birch brush. - Soil good.
East	Random line between Secs. 12 & 13. T. 1 S. R. 1. W.
11. 30	Patoka 100 links wide Course S. W.
40. 00	Patoka 100 links wide. Course N. W. rocky. Temporary Quarter Sec. post in Creek.
63. 00	Patoka, Course S. W.
71. 00	Patoka, Course. N. W.
78. 00	Patoka 100 links wide, Course S. W.
80. 00	Put Temporary post. This mile near Patoka Creek Birch timbered land uneven. middling Soil.
West	True line between Secs. 13 & 24. T. 1. S. R. 1. W.
40. 20	Quarter Sec. on true line a Sugar 14. N. 41. E. 13. links W. Ash. 30. S. 15. E. 39. links.
50 40	Sec. Corner?
West	Random line between Secs. 1. & 12. T. 1. S. R. 1. W.
38. 15	Brooks 6 links wide. Course S.
40. 10	Temporary Quarter Sec. post.
47. 00	Brook 8 links wide Course S.
55. 00	Brook 8 links wide Course S. E.
60. 00	Put Temporary post. This mile first half land

T. A. S. R. No. 1. W. 2nd Mer.

29

	beech timbered land. last half more uneven. timber mostly Beech, some Oak & Poplar. Soil good. Some Spice now down
West	Random line between Sec ^s 11. & 14 T. A. S. R. No. 1. W.
3.75	Patoke Creek. Course N. 70 W. dead
40.00	Quarter Sec. Temporary Corner in middle of Creek Course S. W.
47.50	Same Creek, Course. N. W.
58.20	Brook 8 links wide, Course. N.
68.50	Patoke 130 links wide, Course S. 30 W.
80.00	Put Temporary post. This mile beech & Poplar & some Sugar tree, timbered land. Soil middling. Aug 25. 1865
North	Between Sec ^s 14. & 15. T. A. S. R. No. 1. W.
4.75	Brook 8 links wide, Course N. W.
12.10	Sum 14 inches diam ^r
28.60	Beech 14 inches diam ^r .
40.00	Quarter Sec. Corner at Beech 9 S. 35 E. 14. links Beech 10, N. 8 E. 35. links
47.06	Beech 16 inches diameter
57.46	Beech 18 inches diam ^r .
60.00	Patoke 120 links; Course S. W. still water
77.14	Poplar 30 inches diam ^r
80.00	Intersects 100 links W. & 10 N. of Temporary post Put Corner Sec ^s 10. 11. 14. 15. T. A. S. R. No. 1. W. at Beech 24. S. 34. W. 38. links. at Beech 14. N. 60. E. 17. links This mile beech - Beech & Poplar timbered land, good Soil - Spice & Beech brush.
West	Random line between Sec ^s 10. & 15. T. A. S. R. No. 1. W.
30.00	Creek 20 links wide; Course South.
40.00	Put Temporary Quarter Sec. post
81.30	Intersects 90 S. of Sec. Corner. This mile Beech timbered hills some Poplar Ash & Sugar tree. Spice and Beech brush. - Soil good.

T. N. 1. S. R. 1. W. 2nd Mer.

East West	True line between Secs 10. & 15. T. 1. S. R. 1. W. put Quarter Sec. Post. true line a Birch 24, S. 80. W 17. links. Sugar 12. N 86 E. 16 links. 81.30 Sec. Corner.
North	Between Secs 10. & 11. T. 1. S. R. 1. W. 17.15 Birch 12 inches diam 31.60 Birch 14 inches diam 40.00 Quarter Sec. Post. a Birch 12. S. 89. E. 22. links A Birch 30. S. 11. W. 17. links 42.00 Brook 15 links wide. Course. S. W. 62.65 Birch 16 inches diam 68.70 W. Ash. 40. inches diam 73.25 Brook 4 links wide, Course S. E. 80.00 Put Corner Secs 2. 3. 10. 11. T. 1. S. R. 1. W. A B. Oak 12. 24. 19. W. 27. links. B. Oak 9. S. 1. E 23. links This mile Birch, Poplar, Sugar & Ash timbered ridges— Spice & Birch Undergrowth. Soil good.
East	Random line between Secs 2. & 11. T. 1. S. R. 1. W. 25.00 Brook 6 links wide, Course S. W. 40.00 Put Temporary Quarter Sec. post 54.00 Brook 4 links wide, Course S. W. deer lick. 80.00 Put Temporary post— This mile Birch & Oak timbered ridges. Soil middling
East	True line between Secs 11. & 14. T. 1. S. R. 1. W. 40.50 Quarter Sec. Corner in Patoka Creek near the W. Edge. 81.00 Post Corner Sec. This mile near Patoka. Birch timber. Soil middling.
East	True line between Secs 12. & 13. T. 1. S. R. 1. W. 39.90 Quarter Sec. Corner in Patoka near the west edge of Creek. 79.80 Sec. Corner. This mile near the Creek.

North	Between Sec ^s 11. & 12. T. 1. S. R. 1. W.
4.75	Birch 15 inches diam ^r .
14.20	Poplar 30 inches diam ^r .
40.00	Quarter Sec. Corner. A Birch 14. S. 9. E. 12. links. Birch 15, N. 78. W. 18. links. Creek 50. E.
49.50	Drain, Course. S. E.
56.90	W. Oak 12 inches diam ^r .
65.62	Poplar 26 inches diam.
80.00	Intersects 44 links N. & 10 E. of temporary post. set in running W. put Corner of Sec ^s 1. 2. 11. & 12 T. 1 S. R. 1. W. A birch 16. S. 80. E. 22. links. B. Oak 8. N. 85. W. 19 links. This mile first parts Birch timbered & ridge. last part more Oak. Soil middling, Spice & birch brush.
East	True line between Sec ^s 1. & 12. T. 1. S. R. 1. W.
39.95	Put Quarter Sec. corner on true line A Birch 22 inches S. 5. W. 15 links. A Sugar tree; 12. N. 15. E. 16. links
79.90	Sec. corner.
North	Between Sec ^s 1. & 2. T. 1. S. R. 1. W.
6.32	Birch 14 inches diam ^r .
15.75	Birch 18 inches diam ^r .
30.00	Brook 6 links wide. Course S. E.
40.00	Quarter Sec. post. A Birch 12 N. 79. E. 18. links Birch 8. S. 62. W. 19 links -
46.12	Birch 12 inches diam ^r .
73.70	Brook 4 links wide. Course S. W.
80.00	Put Temporary posts in rocky gully. This mile Birch, Oak & Poplar & Gum timbered land. some Spice &c Soil middling. - some stoney in last half.
West	True line between Sec ^s 2. & 11. T. 1. S. R. 1. W.
40.05	Put Quarter Sec. post on true line. A Birch 12 N. 50. W. 8. links. Birch 12. S. 86. E. 25. links.
80.10	Sec. corner.

11. 7. 0	Spring Course E. fine water
12 35.	Beech 24. inches diam ^r
15. 26	Brook 6. links wide, Course S. E.
40. 00	Quarter Sec. post at W. Ash 24. S. 43. E. 6. links Sugar tree 14. S. 64. W. 18 links.
49. 00	Brook 10 links wide, Course. E.
50. 00	Put Corner Sec? 4. & 5. S. & 9. T. 1. S. R. 1. W. A Gum, 18. at 85. W. 31. links. Sugar tree S. S. 29. E. 11. links. This mile ridge land. Timber Oak, Beech, Sugar. Poplar & Gum. Spice & Dogwood Underg ^r
East	Random line between Sec? 4. & 9. T. 1. S. R. 1. W.
15. 25	Brook 10 links wide, Course. S. 30. E.
40. 00	Quarter Sec. Temporary Post.
54. 00	Creek 56 links wide, Course. S.
68. 00	Brook 8. links wide, Course. N. W.
80. 60	Intersects 60. N. of Sec. Corner. This mile hilly timber Beech. Oak. Sugar tree. Poplar. Hickory. Spice & Dogwood Undergrowth. Land Stony. Soil middling.
East	Random line Sec? 3. & 10. T. 1. S. R. 1. W.
40. 00	Put temporary Quarter Sec. post.
80. 20	Intersects N. & S. line 50 links N of post. This mile near a dividing ridge. Stony land; timber Beech. Oak. Poplar
Aug 27 th 1806	
West	True line between Sec? 3. & 10. T. 1. S. R. 1. W.
40. 10	Put Quarter Sec. post. on true line A Sugar tree 15 inches diam ^r at 69. E 12. links A Beech 14. S. 10. W. 23. links.
80 20	Sec. Corner.
North	Between Sec? 3. & 4. T. 1. S. R. 1. W.
3. 80	W. Oak 22 inches diam ^r
28. 60	Creek 40 links wide Course S. W
40. 00	Put Quarter Sec post. A Sugar tree 14 N 55. W. 20 links W. 325

T. N. 1. S. R. N. 1. M. 2nd Mer.

	Sugar 8. S. 50 E. 19. links.
50.86	Beech 15 inches diam ^r .
59.48.	B. Oak. 12 inches diam ^r .
68.10	Beech 12 inches diam ^r .
72 40	Brook 4 links wide, Course E.
80. 00	Put temporary post. This mile Beech timbered ridge. middling Soil. some Poplar. & Sugar. Spice & Beech
West.	True line between Sec. 4 & 9. T. N. S. R. N. M.
40. 30	Put Quarter Sec. post on true line. A Sugar 9 & N. 87. E. 25 links. Beech 18. N. 51. W. 46, links.
80. 60	Sec. Corner.
North	Between Sec ^s 4 & 5. T. N. S. R. N. M.
12. 75	A Poplar 30. inches diam ^r .
	Brook 10 links wide, Course S. E.
29. 50	B. Oak. 14 inches diam ^r .
31. 23	Beech 20 inches diam ^r .
40. 00	Quarter Sec. Corner A Beech 24 inches diam ^r .
	N. 22. E 29. links. W Walnut 16. inches. S. 9. E. 35. lks.
52. 00	Brook 4 links wide, Course S. E.
63. 25.	Gum 16 inches diam ^r .
75. 55.	Beech 12 inches diam ^r .
80. 00	Put temporary post. This mile ridge land. Timber Beech. Oak. Gum. & Poplar. Spice & Dogwood & undergrowth
East	Between Sec ^s 5, & 8. T. N. S. R. N. M.
22. 80	From Suppers Corner to Old Indian boundary
	From here run a random line to hit my post.
24. 00	Brook 8 links wide, Course. S. E.
40. 00	Put Temporary Quarter Sec. post
84. 50	Intersects 3 chains. S. of post, This mile ridge land. Timber. Beech. Oak. Sugar tree, Poplar & Spice
West	True line between Sec ^s 5 & 8. T. N. S. R. N. M.
42. 25.	Put Quarter Sec. post in true line.

T. N. A. G. Co. No. 1. W. 2nd Mer.

84.50	A N. Oak 40. N. 2. W. 16. links. A N. Oak 30, inches. S. 29 W. 57. links. To Sec. Corner.
South.	Between Sec. 7. & 8. T. 1. S. R. 1. W.
89.50	Upper's quarter Sec. Corner.
65.87.	Old Indian Boundary line.
66.90	Brook 22 inches diam ^r .
75.63	Brook 18 inches diam ^r .
80.00	Put Temporary Post This mile Brook timber & Oak ridges Good Soil. Dogwood Undergrowth.
East	From Upper's Corner & Old Boundary between Secs 7 & 18. T. 1. S. R. 1. W.
2.91	Intersects N. & S. line. 5.60 N of Temporary Post. Put Sec ^s 8. & 7. 18. & 17. T. 1. S. R. 1. W. A Poplar 5 feet diam ^r . W. 12 links. Brook 10. N. 31. E. 8. links.
East	Random line Between Sec ^s 8. & 17. T. 1. S. R. 1. W.
30.00	Brook 10 links wide, Course S. E.
40.00	Put Temporary Quarter Sec. post.
63.80	Brook 8 links wide, Course S.
82.50	Intersects 10 links N. of Post. This mile Brook timber & Oak. ridges. some Dogwood. Soil Middling.
West	On true line line between 8. & 17. T. 1. S. R. 1. W.
41.25	Put Quarter Sec. post on true line. A Brook 24 N. 67. W. 20 links. Brook 18. N. 43. E. 24. links.
82.50	Sec. Corners
South.	Between 17. & 18. T. 1. S. R. 1. W.
1.25.	Brook 16 inches diam ^r .
30.85	Gum 16 inches diam ^r .
40.00	Put Quarter Sec. post. A. Poplar. 30. N. 15. E. 24. links A. Oak. 14. S. 69. W. 20 links
57.57.	Brook 16 inches diam ^r .

T^o 1. S. R. No. 1. W. 2nd Mer.

66. 03	Beech 15 inches diam ^r
67. 75	Patoka Creek. Course. S. W. 150. links wide
76. 97.	Beech 18. inches diam ^r
80. 00	Put Temporary post. This mile first three quarters Oak & Beech timbered hills. good Soil. last quarter Beech Bottom on Patoka.
East	Between Sec ^s 18. & 19. T. 1. S. R. 1. W.
	Found that Tupper never ran the line any farther than the West side of Patoka. After hunting a long time for the line. found it on the West side of Patoka. Starting from the E. side continuing the line
0. 00	Old Indian Boundary.
6. 12	Beech 24 inches diam ^r
9. 00	Patoka. Course. N. W. 150. links wide.
24. 00	E. side of Patoka Creek. Course S. W.
31. 32	Beech 12. inches in diam ^r
33. 72	Intersects N. & S. line 10 N. of Post. Put Corner Sec ^s 17. 18. 19. 20. T. 1. S. R. 1. W. A Beech 24. N. 72. E. 17. links. A Beech 26. inches diam ^r bears S. 45. W. 47. links This distance. beech timbered bottom.
East	Boundry line between Sec ^s 17. & 20. T. 1. S. R. 1. W.
3. 51	Patoka, Course N. W. 150 links.
40. 00	Temporary Quarter Sec. post.
74. 30	Patoka, Course S. W. 150. links wide.
81. 40	Intersects N. & S. line 10 links S. of post. This mile Beech timbered ridge & bottom. Soil good.
West	True line between 17. & 20. T. 1. S. R. 1. W.
40 70	Put Quarter Sec. post on true line where a Beech 12. S. 82 E. 34. links. Beech 14. S. 80. W. 25. links.
81. 40	To Sec. Corner.
South	Between Sec ^s 19. & 20. T. 1. S. R. 1. W.

3. 00	Drain Course N. W.
14. 88	Beech 18 inches diam ^r .
27. 70	Beech 24 inches diam ^r .
40. 00	Put Quarter Sec. Heap Ash 14. N. 82. E. 6 links Beech 12. S. 53. W. 8 links.
42. 52	Poplar 50 inches diam ^r .
57. 30	Poplar 30 inches diam ^r .
75. 34.	Beech 18 inches diam ^r .
77. 60	Brook 12 links, Course. S. 60. W.
80. 00	Put Temporary post. This mile first half pretty level Beech timbered land - Last half Beech, & Poplar timbered ridges. Aug. 3 rd . 1845.

East	Between Sec ^s 19. & 30. T. N. 1. S. R. 1. W. From Suppers Corner.
23 88	Old Indian Boundary.
28. 00	Poplar 24 inches diam ^r .
40. 00	Put Quarter Sec. Corner. a Beech 12, S. 43. E. 24. links
43. 34	Beech 20. inches diam ^r .
58. 84	B. Oak 14 inches diam ^r .
61. 80	Patcha. Course. S. E. Still water.
75 25	Brook 12 links wide Course. S. W.
80. 40	Intersects 4 links S. of Post put Corner Sec ^s 19. 20 29. 30. T. N. 1. S. R. 1. W. a Beech 9 N. 84. E. 17. Hickory 9. N. 43. W. 12. This mile first half Beech ridge 26. chains. poor bottom & Beech hill.

East	Random line between Sec. 20 & 29. T. N. 1. S. R. 1. W.
3. 00	Brook 12 links wide, Course N. W.
15 00	Leaves the run comes from N. E.
40. 00	Put Temporary Quarter Sec. Post.
48. 00	Spring, Course S.
81. 15	Intersects N. & S. line at post. This mile on a Beech & Sugar timbered ridge good Soil. Stony many green briars.

West True line between 20 & 29. T. N. 1. S. R. 1. W.

T. N. 1. S. R. N. 1. W. 2nd Mer

10.37.	Put Quarter Sec post on true line A Birch 18 inches
51 15	S. 18. E. 38. links. Birch 12. N. 2 W. 6 links.
	To Sec. Corner.
South	Between Secs 29. & 30. T. 1. S. R. 1. W.
20.30	Birch 12 inches diam ^r .
25.11	Brook 30 links wide, Course N. W.
33.18.	Hoop Ash 30 inches diam ^r .
40.00	Put Quarter Sec. post A Birch 12. N. 20. E 36. lks.
	A W. Oak 18. S. 66. N 19 links.
41.00	W. Oak 22 inches diam ^r .
56.40	W. Oak 30 inches diam ^r .
69.50	Birch 18 inches diam ^r .
80.00	Put Corner Secs 29. 30. 31. 32. T. 1. S. R. 1. W.
	A W. Oak 12. S. 58. W. 4. links. W Oak 12. N. 47.
	E. 26 links. This mile high ridges. timber - Oak
	Birch Poplar & some Sugar tree. Dogwood & Birch
	undergrowth. Poor Stony Soil.
West	Between Secs 30. & 31. T. 1. S. R. 1. W.
17.15	Poplar. 4 inches diam ^r .
36.25	Brook 8 links wide, Course. N. W.
40.00	Quarter Sec. Corner. Birch 12. N. 11. W. 33. links
	Birch 10. S. 81. E. 39. links
53 50	Birch 18 inches diam ^r .
63.40	Brook 4 links wide. Course N.
65.55	Gum 28 inches diam ^r .
79.60	Intersects W. boundary of this Range 153 links
	N. of Brantons Post. Put Corner of Secs 30. & 31.
	T. 1. S. R. 1. W. where a Sugar tree 18 inches diam ^r .
	has S. 53. E. 20. links. Birch 12. N. 52. E. 24. links.
	This very high hills. Timber. Oak Gum. Birch
	Sugar-tree & Poplar. Soil very stoney. many briars
	& bushes.
East.	Random line Between Secs 29 & 32 T. 1. S. R. 1. W.

T. N. 1. S. R. N. 1. W. 2nd Mer.

21. 67	Beech 12 links wide, Course N.
40. 10	Quarter Sec. Temporary post
61. 67	Beech 11 links wide, Course N. W.
80. 68.	Intersects N & S. line at Post Sec. corner. This mile high hills. Timber, Oak, Beech, some Sugar. Dogwood Gum. many briars. brush thick - poor stoney soil.
West	On true line between Secs 29. & 32. T. 1. S. R. 1. W.
40. 34	Put Quarter Sec. post on true line. A Beech 12, N. 54. E. 14 links - A Beech 14. S. 4. E. 24 links
80. 68	To Sec. corner.
South	Between Ranges 31. & 32. T. 1. S. R. 1. W.
17. 47.	Beech 12 inches diam?
30. 50	Beech 12 links wide, Course N. E.
33. 60	Beech 16 inches diam?
40. 60	Put Quarter Sec. post. A Beech 16. S. 47. W. 18. Beech 24, S. 81. E. 38. links
65. 60	Spring. Course West.
69. 40	Beech 16 inches diam?
80. 20.	Intersects S. Boundary of this Town. 40 links E. of temporary post. Put post Corner Secs 31. & 32. T. 1. S. R. 1. W. A Beech 15, inches diam? N. 20. W. 33. links Beech 12. S. 81. E. 22 links.
	This mile Beech timbered hills - midling Soil Some Oak, & Gum. Some Spice & briars. Aug 4 th 1839 Surveyed by E. Buckingham Jr.

I certify that the foregoing transcript of the field notes of Township N^o 1 South of Range N^o 1 W. 2nd Mer. Indiana, has been compared with the original notes in this Office and found to be correct
 Surveyor General's Office,
 Cincinnati, Aug. 1. 1839. E. S. Seaine
 Lin. Feb 20